

## EPP4 Pressure Regulator Basic

### G 1/4" and G 1/2"

Order code	Pipe	Pressure Range (bar)	Control Signal (see options)
P4BG2001A001	G 1/4"	0 - 4 bar	4 - 20 mA
P4BG2001A002	G 1/4"	0 - 10 bar	0 - 10 V
P4BG2001A003	G 1/4"	0 - 10 bar	4 - 20 mA
P4BG2001A004	G 1/4"	0 - 6 bar	0 - 10 V
P4BG2001A005	G 1/4"	0 - 6 bar	4 - 20 mA
P4BG2001A006	G 1/4"	0 - 5 bar	0 - 10 V
P4BG2001A007	G 1/4"	0 - 5 bar	4 - 20 mA
P4BG2001A008	G 1/4"	0 - 7 bar	0 - 10 V
P4BG2001A009	G 1/4"	0 - 7 bar	4 - 20 mA
P4BG2003A002 *	G 1/4"	0 - 10 bar	0 - 10 V
P4BG2003A003 *	G 1/4"	0 - 10 bar	4 - 20 mA
P4BG4001A002	G 1/2"	0 - 10 bar	0 - 10 V
P4BG4001A003	G 1/2"	0 - 10 bar	4 - 20 mA
P4BG4001A004	G 1/2"	0 - 6 bar	0 - 10 V
P4BG4001A005	G 1/2"	0 - 6 bar	4 - 20 mA
P4BG4001A006	G 1/2"	0 - 5 bar	0 - 10 V
P4BG4001A007	G 1/2"	0 - 5 bar	4 - 20 mA
P4BG4001A008	G 1/2"	0 - 7 bar	0 - 10 V
P4BG4001A009	G 1/2"	0 - 7 bar	4 - 20 mA
P4BG4004A010 ***	G 1/2"	0 - 4 bar	0 - 10 V
P4BG4051A002 **	G 1/2"	0 - 10 bar	4 - 20 mA
P4BN2001A002	NPT 1/4"	0 - 10 bar	4 - 20 mA
P4BN2001A003	NPT 1/4"	0 - 10 bar	0 - 10 V
P4BN4001A002	NPT 1/2"	0 - 10 bar	4 - 20 mA
P4BN4001A003	NPT 1/2"	0 - 10 bar	0 - 10 V

\* Integrated pilot exhaust

\*\* O2

\*\*\* External pressure supply



# Lucifer® EPP4 Comfort 1/4" and 1/2"

## References

Order code	Pipe	Pressure Range (bar)		Control Signal (see options)	Display
P4CG2001C001	G 1/4	0	10	0-10 V	-
P4CG2001C002	G 1/4	0	10	4-20 mA	-
P4CG2001C005	G 1/4	0	7	0-10 V	-
P4CG2001C006	G 1/4	0	7	4-20 mA	-
P4CG2002C001	G 1/4	0	10	0-10 V	included
P4CG2002C002	G 1/4	0	10	4-20 mA	included
P4CG2003C001 *	G 1/4	0	10	0-10 V	-
P4CG2003C002 *	G 1/4	0	10	4-20 mA	-
P4CG2002C007	G 1/4	0	7	0-10 V	included
P4CG2002C008	G 1/4	0	7	4-20 mA	included
P4CN2001C001	1/4 NPT	0	10	0-10 V	-
P4CN2001C002	1/4 NPT	0	10	4-20 mA	-
P4CN2002C001	1/4 NPT	0	10	0-10 V	included
P4CN2002C002	1/4 NPT	0	10	4-20 mA	included
P4CG4001C001	G 1/2	0	10	0-10 V	-
P4CG4001C002	G 1/2	0	10	4-20 mA	-
P4CG4001C005	G 1/2	0	7	0-10 V	-
P4CG4001C006	G 1/2	0	7	4-20 mA	-
P4CG4002C001	G 1/2	0	10	0-10 V	included
P4CG4002C002	G 1/2	0	10	4-20 mA	included
P4CG4002C005	G 1/2	0	7	0-10 V	included
P4CG4002C006	G 1/2	0	7	4-20 mA	included
P4CG4051C001 **	G 1/2	0	10	0-10 V	-
P4CG4051C002 **	G 1/2	0	10	4-20 mA	-
P4CN4001C001	1/2 NPT	0	10	0-10 V	-
P4CN4001C002	1/2 NPT	0	10	4-20 mA	-
P4CN4002C001	1/2 NPT	0	10	0-10 V	included
P4CN4002C002	1/2 NPT	0	10	4-20 mA	included

\* Integrated pilot exhaust

\*\* O2



## Lucifer® EPP4 Comfort 1/2" HP, 1" and 2"

### References

Order code	Pipe	Max inlet pressure (bar)	Pressure range (bar)		Control signal (see options)
P4CG4101D001	G1/2	15	0	12	0-10 V
P4CG4201D005	G1/2	21	0	16	0-10 V
P4CG4201D003	G1/2	21	0	20	0-10 V
P4CG4201D004	G1/2	21	0	20	4-20 mA
P4CG6101C009	G1	12	0	3.5	4-20 mA
P4CG6101C011	G1	12	0	5.0	0-10 V
P4CG6101C010	G1	12	0	6.0	4-20 mA
P4CG6101C001	G1	12	0	10	0-10 V
P4CG6101C002	G1	12	0	10	4-20 mA
P4CG6201D001	G1	21	0	12	-
P4CG6201D003	G1	21	0	20	0-10 V
P4CG9101C012	G2	12	0	4.0	4-20 mA
P4CG9101C010	G2	12	0	6.0	4-20 mA
P4CG9101C001	G2	12	0	10	0-10 V
P4CG9101C002	G2	12	0	10	4-20 mA

Other specific settings or specialties are available, please contact us.

